Index for Volume 65 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Abawi, G. S., 859
Abbas, H. K., 916
Abd-Elsamea, M. E., 432
Abstracts, letter to editor, 450
Acrophialophora fusispora, on gram in India, 362
Adams, D. H., 446
Adams, R. E., 872
Adkisson, P. L., 940
Agriculture, high-yielding systems, keynote address, 940
Agrobacterium, survival of, 633
Agrostis palustris
  bacterial disease of, 1014, (1015)
  Drechslera catenaria on, new disease in Ohio, 79
  mycorrhizal development in, fungicide effects on, 145
Ahmed, A. H., 692
Ahoonmanesh, A., 56
Ainsworth, T. C., 719
Al-Beldawi, A. S., 979
Alcorn, S. M., 243
Aldwinckle, H. S., 823
Alfalfa
  anthracnose of, in Minnesota, 844
  Phytophthora root rot of, in New York, 127
  spring black stem effect on yield of, 725
  Verticillium wilt of, 319, (320), 843
Alfalfa mosaic virus, on white clover, growth effects, 50
Alfieri, S. A., Jr., 520
Ali, M. A., 432
Alper, M., 694
Alternaria spp., on sunflower, 643, (647)
  alternata, on red pepper, in Nigeria, 915, (916)
  helianthi, on sunflower, new in Minnesota, 269, (270)
  solani
    on potato, nitrogen rate and potato yield, 575
    on potato and tomato, in Israel, 315
Amador, J., 555
American Phytopathological Society
  annual meeting program, 531
  annual report, 167
  Council meeting highlights, 523
  election results, 623
  keynote address, agricultural systems sustained, 940
Amin, M., 979
Amin, P. W., 663
Ammon, V. D., 140
Anderson, N. A., 417
Andrade, O., 761
Anjaneyulu, A., 409, 584
Aphanomyces euteiches, on pea, herbicide influence on, 11
Aphelandra squarrosa
  leaf crinkle disease of, in Texas, 687, (687)
  Phytophthora stem rot of, symptoms, 921, (922)
Aphelenchoides fragariae, on *Fiscus* and *Asplenium*, leaf populations, 425
Aphelenchus avenae, root rot fungi controlled by, 423
Aphid, barley yellow dwarf virus vector, 18 spp., 975
Aphis pomi, on apple, pesticides for, factors, 872
Apple
  blue mold of, benomyl resistance, 881
  Coriolus versicolor on, in Washington, 280
  crown rot pathogens in, twig assay for, 823
  dieback disease of, in Washington, 77, (77, 78)
  diseases of, sterol-inhibiting fungicides for, 981
  Glomerella cingulata on, ascospore dispersal, 135, (136)
  pest management research, in Michigan, 223
  postharvest fungicides for, fungicide resistance, 1010
  powdery mildew of, sterol-inhibiting fungicides for, 1002
  powdery mildew and scab of, in Pacific Northwest, control, 1006
  Pseudomonas syringae on, seasonal susceptibility, 334, (335)
  replant disease of, control by fumigation, 859, (860)
  scab and aphids on, pesticides for, factors, 872
  scab, rusts, and sooty blotch of, fungicides for, 998
  tree death in, causes in North Carolina, 330
  union necrosis and decline related to tomato ringspot virus, 261, (262)
  Venturia inaequalis on, spray timing for control, 995
Apple and pear diseases
  sterol-inhibiting fungicides for, in Israel, 992
  workshop, annual meeting, 981
Apricot, *Monilinia laxa* on, fungicides for, 911
Aragaki, M., 621, 744
Arceuthobium
  americanum, on pine, yield loss from, 437
  cyanocarpum, on *Pinus* and *Tsuga* in Oregon, 445
  vaginatum, on Scots pine, 263
Armillaria mellea
  basidiospores of, survival in Alaska, 972
  on conifers, in Colorado, 506
  control, chemical and biological, 384
  on hemlock and spruce, stump infections, 967
Armstrong, G., 241
Arneson, P. A., 823
Arracacha virus B, on potato, oca strain in Peru, 753
Asclepias syriaca, oxidant pollution effect on, in Virginia, 661, (662)
Ascochyta sp., on bean, yield loss in Colombia, 494
  rabiei, on chickpea, resistance to, 586
Ash
  white mottled rot of
    in Nebraska, 667
    in North Dakota, 669
Aspergillus flavus
  airborne spores of, distribution in Missouri, 58
  on corn, aflatoxin production, fertilizer and planting harvest date effect, 741
  in soil, rotation and tillage effects, 898
Asplenium nidus, *Aphelenchoides fragariae* on leaves of, 425
Athow, K. L., 884
Atylosia spp., Phytophthora blight of, resistance to, 61
Aucuba japonica, Phytophthora root rot of, bark for suppression, 918, (919)
Avocado
  Phytophthora cinnamomi on, strains of, 475
  sunblotch disease indexing, 46
  sunblotch in, index method for, 800
Awards
  award of distinction, 197
  Campbell, 194
  CIBA-Geigy, 195
  fellows, 186
  Lee M. Hutchins, 196
  Ruth Allen, 193

Backman, P. A., 419
Bacteria, survival of, 633
Bacteriocin, *Corynebacterium* strains classified by, 480
Bacteriophage, *Corynebacterium* strains classified by, 480
Baenziger, P. S., 504
Baker, K. K., 1014
Baker, L. R., 337
Bandara, J. M. R. S., 164
Banksia sp., Phytophthora root rot of, host range and control, 830, (831)
Barksdale, T. H., 71
Barley
  resistance to mildew, rust, and scald, inoculation technique, 504
  smuts of, identification, 834
Barley stripe mosaic virus, in seed, serologic detection of, 809, (810)
Barley yellow dwarf virus, disease complex, etiology, 975
Barnes, G. L., 423
Barnett, O. W., 50, 1016
Barnett, R. D., 125
Barrat, R. E., 872
Bashi, E., 798
Baumer, J. S., 269
Bean curly dwarf mosaic virus, transmission by beetles in Costa Rica, 491
Bean mild mosaic virus, transmission by beetles in Costa Rica, 491
Bean yellow mosaic virus
  on iris, in Israel, 694, (694)
  on lentil, in Egypt, 611, (611)
Beaupre, C. M.-S., 658
Beebe, S. E., 485
Beech (see *Fagus grandifolia*)
Beet, common names of diseases of, 624
Beet western yellows virus, on potato, leaf roll relation, 819
Begonia, powdery mildew of, identification and host range, 68, (68)
Bell, D. K., 497
Belonolaimus longicaudatus, on corn, relation to mycorrhizae, 804
Beltramini, E., 419
Bemisia tabaci
  cassava mosaic virus transmitted by, 606
  squash leaf curl transmitted by, in California, 75
Benson, D. M., 353, 688, 848, 918
Bentgrass (see *Agrostis palustris*)

Index for Volume 65 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Abawi, G. S., 859
Abbas, H. K., 916
Abd-Elsamea, M. E., 432
Abstracts, letter to editor, 450
Acrophialophora fusispora, on gram in India, 362
Adams, D. H., 446
Adams, R. E., 872
Adkisson, P. L., 940
Agriculture, high-yielding systems, keynote address, 940
Agrobacterium, survival of, 633
Agrostis palustris
  bacterial disease of, 1014, (1015)
  Drechslera catenaria on, new disease in Ohio, 79
  mycorrhizal development in, fungicide effects on, 145
Ahmed, A. H., 692
Ahoonmanesh, A., 56
Ainsworth, T. C., 719
Al-Beldawi, A. S., 979
Alcorn, S. M., 243
Aldwinckle, H. S., 823
Alfalfa
  anthracnose of, in Minnesota, 844
  Phytophthora root rot of, in New York, 127
  spring black stem effect on yield of, 725
  Verticillium wilt of, 319, (320), 843
Alfalfa mosaic virus, on white clover, growth effects, 50
Alfieri, S. A., Jr., 520
Ali, M. A., 432
Alper, M., 694
Alternaria spp., on sunflower, 643, (647)
  alternata, on red pepper, in Nigeria, 915, (916)
  helianthi, on sunflower, new in Minnesota, 269, (270)
  solani
    on potato, nitrogen rate and potato yield, 575
    on potato and tomato, in Israel, 315
Amador, J., 555
American Phytopathological Society
  annual meeting program, 531
  annual report, 167
  Council meeting highlights, 523
  election results, 623
  keynote address, agricultural systems sustained, 940
Amin, M., 979
Amin, P. W., 663
Ammon, V. D., 140
Anderson, N. A., 417
Andrade, O., 761
Anjaneyulu, A., 409, 584
Aphanomyces euteiches, on pea, herbicide influence on, 11
Aphelandra squarrosa
  leaf crinkle disease of, in Texas, 687, (687)
  Phytophthora stem rot of, symptoms, 921, (922)
Aphelenchoides fragariae, on *Fiscus* and *Asplenium*, leaf populations, 425
Aphelenchus avenae, root rot fungi controlled by, 423
Aphid, barley yellow dwarf virus vector, 18 spp., 975
Aphis pomi, on apple, pesticides for, factors, 872
Apple
  blue mold of, benomyl resistance, 881
  Coriolus versicolor on, in Washington, 280
  crown rot pathogens in, twig assay for, 823
  dieback disease of, in Washington, 77, (77, 78)
  diseases of, sterol-inhibiting fungicides for, 981
  Glomerella cingulata on, ascospore dispersal, 135, (136)
  pest management research, in Michigan, 223
  postharvest fungicides for, fungicide resistance, 1010
  powdery mildew of, sterol-inhibiting fungicides for, 1002
  powdery mildew and scab of, in Pacific Northwest, control, 1006
  Pseudomonas syringae on, seasonal susceptibility, 334, (335)
  replant disease of, control by fumigation, 859, (860)
  scab and aphids on, pesticides for, factors, 872
  scab, rusts, and sooty blotch of, fungicides for, 998
  tree death in, causes in North Carolina, 330
  union necrosis and decline related to tomato ringspot virus, 261, (262)
  Venturia inaequalis on, spray timing for control, 995
Apple and pear diseases
  sterol-inhibiting fungicides for, in Israel, 992
  workshop, annual meeting, 981
Apricot, *Monilinia laxa* on, fungicides for, 911
Aragaki, M., 621, 744
Arceuthobium
  americanum, on pine, yield loss from, 437
  cyanocarpum, on *Pinus* and *Tsuga* in Oregon, 445
  vaginatum, on Scots pine, 263
Armillaria mellea
  basidiospores of, survival in Alaska, 972
  on conifers, in Colorado, 506
  control, chemical and biological, 384
  on hemlock and spruce, stump infections, 967
Armstrong, G., 241
Arneson, P. A., 823
Arracacha virus B, on potato, oca strain in Peru, 753
Asclepias syriaca, oxidant pollution effect on, in Virginia, 661, (662)
Ascochyta sp., on bean, yield loss in Colombia, 494
  rabiei, on chickpea, resistance to, 586
Ash
  white mottled rot of
    in Nebraska, 667
    in North Dakota, 669
Aspergillus flavus
  airborne spores of, distribution in Missouri, 58
  on corn, aflatoxin production, fertilizer and planting harvest date effect, 741
  in soil, rotation and tillage effects, 898
Asplenium nidus, *Aphelenchoides fragariae* on leaves of, 425
Athow, K. L., 884
Atylosia spp., Phytophthora blight of, resistance to, 61
Aucuba japonica, Phytophthora root rot of, bark for suppression, 918, (919)
Avocado
  Phytophthora cinnamomi on, strains of, 475
  sunblotch disease indexing, 46
  sunblotch in, index method for, 800
Awards
  award of distinction, 197
  Campbell, 194
  CIBA-Geigy, 195
  fellows, 186
  Lee M. Hutchins, 196
  Ruth Allen, 193

Backman, P. A., 419
Bacteria, survival of, 633
Bacteriocin, *Corynebacterium* strains classified by, 480
Bacteriophage, *Corynebacterium* strains classified by, 480
Baenziger, P. S., 504
Baker, K. K., 1014
Baker, L. R., 337
Bandara, J. M. R. S., 164
Banksia sp., Phytophthora root rot of, host range and control, 830, (831)
Barksdale, T. H., 71
Barley
  resistance to mildew, rust, and scald, inoculation technique, 504
  smuts of, identification, 834
Barley stripe mosaic virus, in seed, serologic detection of, 809, (810)
Barley yellow dwarf virus, disease complex, etiology, 975
Barnes, G. L., 423
Barnett, O. W., 50, 1016
Barnett, R. D., 125
Barrat, R. E., 872
Bashi, E., 798
Baumer, J. S., 269
Bean curly dwarf mosaic virus, transmission by beetles in Costa Rica, 491
Bean mild mosaic virus, transmission by beetles in Costa Rica, 491
Bean yellow mosaic virus
  on iris, in Israel, 694, (694)
  on lentil, in Egypt, 611, (611)
Beaupre, C. M.-S., 658
Beebe, S. E., 485
Beech (see *Fagus grandifolia*)
Beet, common names of diseases of, 624
Beet western yellows virus, on potato, leaf roll relation, 819
Begonia, powdery mildew of, identification and host range, 68, (68)
Bell, D. K., 497
Belonolaimus longicaudatus, on corn, relation to mycorrhizae, 804
Beltramini, E., 419
Bemisia tabaci
  cassava mosaic virus transmitted by, 606
  squash leaf curl transmitted by, in California, 75
Benson, D. M., 353, 688, 848, 918
Bentgrass (see *Agrostis palustris*)

Berger, P., 447
Berger, P. H., 695
Bertrand, P. F., 769
Betula spp., Nectria canker of, tissue age and canker frequency, 66
Beute, M. K., 339
Bhargava, S. N., 441
Biological control
Aphelenchus avenae for Rhizoctonia and Fusarium root rot, 423
Catenaria auxillaris against cyst nematodes, 390, (390–392)
tomato mosaic virus controlled by cross-protection, 56
Trichoderma for
Armillaria mellea, 384
Rhizoctonia on carnation, 675
Bipolaris sorokiniana, on cereal roots, *Fusarium graminearum* antagonistic to, 965
Bird, G. W., 745
Bissonnette, H. L., 706
Bitzer, M. J., 241
Black walnut (see *Juglans nigra*)
Blanchard, R. O., 332
Blanco, M. H., 719
Blasingame, D. L., 925
Bliss, F. A., 485
Blueberry, triforine effect on pollen germination and fruit set, 350
Bode, L. E., 32
Bolkan, H. A., 47
Bonde, M. R., 739
Bonman, J. M., 865, 868
Botryodiplodia
hypodermia, on elm, in windbreaks, 677
theobromae, on sycamore, resistance to, 140
Botrytis cinerea
on fruit, postharvest suppression of, 347
on potato and tomato, in Israel, 315
Bouquet, A., 791
Brachiaria ramosa, rice necrosis mosaic virus on, 602
Bradfute, O. E., 837
Brassica oleracea var. *capitata* (see Cabbage)
Brennan, E., 363
Bristow, P. R., 350
Britton, J. C., 281
Bruck, R. I., 508, 614
Bruton, B. D., 925
Buchanan, J. R., 347
Burdon, J. J., 44
Burr, T. J., 334, 823
Bursaphelenchus xylophilus, on pine, U.S. forest threat, 1022, (1023, 1026)
Burton, C. L., 881
Butler, E. E., 154

Cabbage
blackleg of
seed infection, 868, (868, 869)
virulence of pathogens, 865, (866, 867)
Heterodera spp. on, threshold populations, 264, (265, 266)
Cadena-Hinojosa, M. A., 412
Cajanus cajan, Phytophthora blight of, resistance to, 61
Calcium, lettuce tipburn affected by application, 821
Calonectria
crotalariae, on leea, collar rot and leaf spot from, 621
nivalis, on wheat, in Washington, 923
Camellia japonica, *Phytophthora cinnamomi* on, strains of, 475
Campbell, R. N., 412
Cantaloup, postharvest diseases of, treatment, 825
Capsicum spp., anthracnose, *Cercospora* and powdery mildew resistance in, 600
annuum
postharvest disease of, 915, (915, 916)
Rhizoctonia and virus interaction on, 404
tobacco mosaic virus on, seedborne, 723
frutescens
Meloidogyne javanica on, races, 65
virus disease of, resistance to, 557, (557, 560–562)
Carica papaya (see Papaya)
Carroll, R. B., 596
Carroll, T. W., 809
Carrot, *Meloidogyne hapla* on, tolerance to, 337
Carson, M. L., 842
Carter, W. W., 815
Casper, D. H., 138
Carthamus tinctorius (see Safflower)
Cassava mosaic virus, *Bemisia tabaci* as vector, 606
Castanea dentata, chestnut blight of, breeding for resistance, 459
Caulin, M. C., 419
Celery, Rhizoctonia stalk rot of, fungicide and planting effects, 879
Celosia argentea, Rhizoctonia damping-off of, suppression by bark medium, 796
Cephaleuros sp., host range of, in Florida, 520
Ceratocystis ulmi
on elm, compartmentalization of tissue by, 715, (716, 717)
selective medium for, 147
Cercospora sp., on cucumber, chemical control, 401
beticola, on sugar beet, triphenyltin and oligomycin for control, cross-resistance in, 267
capsici, on sweet pepper, resistance to, 600
kikuchii, on soybean, relation to seed mycoflora, 130
oryzae, races of, in Philippines, 793
Chakraborty, B. N., 362
Chamaecyparis lawsoniana, Phytophthora root rot of, in California, 446
Chase, A. R., 921
Cheo, P. C., 658
Cherry
black-, ozone effect on, 904
leaf spot of, fungicides for, 955
replant disease of, control by fumigation, 859, (859, 860, 861)
Chet, I., 675
Chickpea (see *Cicer arietinum*)
China, plant pathology in 1980, 706
Cho, J. J., 830
Christen, A. A., 319
Chrysayi-Tokousbalides, M., 267
Cicer arietinum
Ascochyta rabiei on, resistance to, 586
Fusarium wilt of, in India, 362
Phoma blight of, new disease, 282
Cigna, J. A., 414, 612
Citrullus lanatus (see also Watermelon)
bacterial disease of, symptoms, 609
Citrus
Armillaria mellea on, control methods compared, 384
black spot of, epidemiology and control, 945
brown rot of, metalaxyl for postharvest control, 672
tristeza incidence in Bolivia, 515
Claflin, L. E., 39
Clayton, C. N., 73, 462
Cline, S., 961
Clover
red-, viruses of, in Pennsylvania, 1016
white-, viruses affecting growth of, 50
Clover yellow vein virus, on white clover, growth effects, 50
Coccomyces hiemalis, on cherry, fungicides for, 955
Coffee, bacterial blight of, seasonal periodicity in Kenya, 581
Coggeshall, M. V., 140
Cohen, E., 672
Colletotrichum
capsici, on sweet pepper, resistance to, 600
coccodes, on tomato, resistance related to fungicide use, 71
fragariae, on strawberry, susceptibility to, 421
graminicola
on corn
effect on stalk strength, 719
race issue, 143, (144)
lagenarium, on cucumber, chemical control, 401
lindemuthianum, on bean, epidemiology, 477
trifolii, on alfalfa, race 1 in Minnesota, 844
Commelina diffusa, rust of, in Hawaii, 690, (690, 691)
Common names of beet diseases, 624
Common names for plant diseases
caneberry, 284
potato, 524
wheat, 450
Comstock, M., 604
Conium maculatum, viruses of, 277
Converse, R. H., 254, 261
Cook, R. J., 923
Cooley, D. R., 892
Cooper, D. T., 140
Coppolino, J. B., 904
Coprinus sp., on pear, disease caused by, 151, (152)
Coriolus versicolor
on apple
dieback association in Washington, 77
in Washington, 280
Corn
aflatoxin production in, fertilizer, planting and harvest date effect, 741
anthracnose leaf blight effect on stalk strength, 719
bacterial wilt and blight of, 480
Colletotrichum graminicola on, race issue, 143, (144)
cyst nematode on, new in USA, 622
Helminthosporium turcicum on, chlorotic lesion resistance in, sources, 502
northern leaf blight epidemic, *Hl^N* gene effect, 327
northern leaf blight of, yield loss from, 325
spiroplasma and viruses on, epidemic in Florida, 837, (838–840)
stored seed of, preservation with fungicides, 260
VA mycorrhizae on, nematode relation, 804
Corn lethal necrosis disease, effect on corn symptomatology and yield, 39
Correa V., F., 494
Corticium
galactinum, on apple, tree death from in North Carolina, 330
salmonicolor, on citrus in Bolivia, 515
Corynebacterium, survival of, 633
nebraskense, on corn, strain diversity, 480
Corynespora cassiicola, on cucumber, chemical control, 401
Cotter, H. V. T., 332
Cottingham, C., 355
Cotton
Fusarium wilt resistance in, Paraguay cultivars, 344
Phymatotrichum root rot of, infrared photography for, 25
Covey, R. P., Jr., 77, 280, 1006
Cowpea (see *Vigna* spp.)
Coyier, D. L., 275
Crill, J. P., 793
Crill, P., 569

Croft, B. A., 223
Cronartium ribicola, on sugar pine, new race, 604
Crop losses
  fruit and nut crops, evaluation, 886
  infrared photography to evaluate, 25
  tobacco vein mottling virus in tobacco, estimations, 889
Cucumber
  bacterial pathogens of, survival on seed, 876
  downy mildew of, metalaxyl-resistant isolates, 798, (799)
  foliar diseases, fruit rot, and nematodes of, chemical application through irrigation, 402
  Mycosphaerella melonis on, in greenhouses, 157, (158)
  Pseudoperonospora cubensis on, metalaxyl-resistant strains of, in Greece, 729, (729)
Cucumber mosaic virus, on bean, seedborne in breeding lines, 492
Cucumis melo (see also Cantaloup)
  bacterial disease of, symptoms, 609, (609)
Cucurbita pepo, bacterial disease of, symptoms, 609
Cylindrocarpon liriodentri, on tulip poplar, root rot from, 154, (154–156)
Cylindrocladium
  camelliae, on nutmeg, in India, 514
  clavatum, on potato, tuber rot caused by, host range, 47
  crotalariae, on peanut, fungus-nematode relation in, 339
  scoparium, on leucothoe, rhododendron, and azalea, susceptibility to, 353
  theae, on leucothoe, rhododendron, and azalea, susceptibility to, 353
Cymbidium mosaic virus, on orchid, transmission and distribution, 780, (783)
Cymbopogon spp., Puccinia rust of, in Sri Lanka, 164
Cytospora sp., on peach, 462, (464)

Da Graça, J. V., 46
Damann, K., 1018
D'Arcy, C. J., 900, 902
Damicone, J. P., 892
Damirdagh, I. S., 916
Darrah, L. L., 719
Daucus carota, viruses from, 277
Davis, D. D., 750, 904
Davis, D. W., 417
Davis, J. M., 508
Davis, R. F., 492
DeAlmeida, O. C., 47
Delp, B. R., 421
Delp, C. J., 856
Delwiche, P. A., 843, 865
Demodium ovalifolium, root-knot nematode on, grass for control, 870
Demski, J. W., 359, 723
Dendroctonus spp., on conifers in Colorado, 506
Denison, W. C., 254
Detweiler, R., 1014
Dewey, D. H., 881
Diabrotica balteata, bean curly dwarf mosaic and bean mild mosaic viruses transmitted by, 491
Diaporthe
  citri, on citrus in Bolivia, 515
  phaseolorum, on soybean, top dieback symptom, 618, (618)
Dickson, M. H., 414
Didymosphaeria donacina, on yam, new leaf spot in Nigeria, 443, (444)
Dilley, M. A., 77, 280
Diomande, M., 339
Dioscorea dumetorum, Didymosphaeria leaf spot of, new in Nigeria, 443, (444)
Diplocarpon earliana, on strawberry, resistance to, 254, (255)
Diplodia quercina, on oak, in California, 281
Disease detection, infrared photography for, 25
Ditylenchus dipsaci, on *Phlox*, occurrence and control, 745
Dorworth, C. E., 927
Doupnik, B. L., Jr., 480
Drechslera catenaria, on creeping bentgrass, new disease in Ohio, 79, (79)
Dropkin, V. H., 1022
Drummond, D. B., 437
Dryocoetes confusus, on conifers, in Colorado, 506
Duchelle, S. F., 661
Duffus, J. E., 819
Duncan, D. R., 435
Duncan, H. E., 741

Editorial
  Amador, J., go South, young man, 555
  Delp, C. J., long-range planning, 856
  Epstein, A. H., pest information needs, 703
  Goode, M. J., disease resistance in crop plants, 631
  Grossmann, F., ISPP's hope for future, 211
  Kennedy, B., archives, 458
  Kmetz, K., APS-industry relationships, 939
  Lembright, H. W., progress—how long does it take?, 105
  Ragsdale, N. N., RPAR process, 301
  Shurtleff, M. C., Plant Disease evaluation, 380
  Tammen, J. F., food, society, and plant pathology, 7
  Tarjan, A. C., nematologists and global communication, 779
Ehret, G. R., 959
Eisensmith, S. P., 955
Elad, Y., 675
El-Behadli, A. H., 916
Electron microscopy
  bean yellow mosaic virus, on lentil, 611, (611)
  Phakopsora on *Commelina*, in Hawaii, 690, (690, 691)
  Phomopsis sojae on soybean, 132, (133, 134)
  potato yellow dwarf virus, in California, 81, (82)
  sorghum stunt mosaic, 84, (84, 85)
Elisha, S., 992
Ellett, C. W., 618, 924
Ellis, M. A., 924
Elm
  Dutch elm disease in, compartmentalization of tissues by, 715, (716, 717)
  Siberian-, cankers of in windbreaks, 677
Elmstrom, G. W., 825
Elsinöe fawcetti, on citrus in Bolivia, 515
Emua, S. A., 443
Endothia parasitica, on chestnut, breeding for resistance, letter, 459
Environment, stress role in woody plant disease, 308, (309–311)
Epidemiology
  bacterial blight of rice, kresek phase, 578
  cherry leaf spot, infection model, 955
  citrus black spot in South Africa, 945, (947)
  definition, letter, 855
  Glomerella cingulata on apple, ascospore dispersal, 135
  peach yellow leaf roll of, factors affecting, 365
  tobacco blue mold, 1980 epidemic in USA and Canada, 508
Epilachna varivestis, bean curly dwarf mosaic and bean mild mosaic viruses transmitted by, 491
Eplee, R. E., 951
Epps, J. M., 665
Epstein, A. H., 703
Errata
  vol. 64, 358
  vol. 65, 925
Erwinia, survival of, 633
  amylovora, on pomaceous fruits, streptomycin resistance to, 563, (564, 565)
  chrysanthemi, on *Philodendron*, moisture and inoculum concentration effect, 727
  herbicola, on onion, new in South Africa, 615, (616, 617)
Erysiphe
  graminis, on barley, resistance evaluation technique, 504
  polygoni, on dry bean, resistance in Colombia, 737
Esser, R. P., 425
Estrada, B. A., 793
Euphorbia
  pulcherrima, *Pseudomonas viridiflava* on, etiology, 513
  trigona, Rhizopus soft rot of, 159
Eutypa armeniacae, on grape, cause of dead arm, 429, (430)
Eyal, Z., 763

Fagus grandifolia, *Nectria* spp. on, cankers from, 332
Fajola, A. O., 443
Falk, B. W., 81
Farih, A., 651, 654
Farley, J. D., 107
Feathery mottle virus, on sweet potato and *Ipomoea incarnata*, detection, 412
Ferrant, N. P., 596
Fertilization, nitrogen, relation to potato early blight and yield, 575
Ficus elastica, *Aphelenchoides fragariae* on leaves of, 425
Findley, W. R., 241
Finley, R. J., 66
Fir
  balsam-, Phytophthora root rot of, in North Carolina, 614
  Douglas- and Fraser-, Fusarium root rot of, in Pennsylvania, 913, (913, 914)
  Fraser-, Phytophthora root rot of, 688
  white-, subalpine, and Douglas-, root disease and insects on, in Colorado, 506
Fischer, H. U., 758
Fitzgerald, T. J., 280
Flock, R. A., 75, 84
Focus, 10, 106, 212, 302, 382, 461, 556, 632, 705, 847, 858, 943
Fomes
  annosus
    on conifers, in Colorado, 506
    on hemlock and spruce, stump infections, 967
  fraxinophilus
    on green ash
      in Nebraska, 667
      in North Dakota, 669
Fontenot, D., 1018
Ford, R. E., 706, 900, 902
Fortlage, R. J., 347
Foster, W. D., 423
Foudin, A., 1022
Frankliniella schultzei, on peanut, vector for tomato spotted wilt virus, 663
Fraxinus pennsylvanica (see Ash)
Freeman, K. C., 241
French, E. R., 246
Frosheiser, F. I., 844
Fumigants, DD-mencs, pine root rot controlled by, 53
Fumigation
  methyl bromide and chloropicrin, pine black root rot controlled by, 53

replant diseases controlled by, in pome and stone fruit, 859
Fungicides (general) (see also Fungicides, specific)
apple and pear diseases controlled by, workshop, 981
apple scab controlled by, droplet size, deposition, and drift, 872
blue mold of apple controlled by, 881
cherry leaf spot control, 955
facility for handling and storage disposal, 959
Monilinia laxa on apricot, spore production suppressed by, 911
mycorrhizae on bentgrass, effect, 145
Rhizopus soft rot of *Euphorbia* controlled by, 159
seed treatments, bunt of wheat, 256
southern stem rot of peanut affected by, 497
sprays for late blight, with BLITECAST, 394
sprinkler irrigation for application to cucumber, 401
sterol-inhibiting, for apple diseases, 981, 986
stored corn seed preservation, 260
turfgrass diseases affected by, 17
Fungicides (specific) (see also Fungicides, general)
benomyl
for apple postharvest disease, resistance, 1010
on black walnut, residue monitoring, 961
Fusarium on asparagus seed eradicated by, 892
growth of *Sclerotinia minor* in culture, 591
Penicillium expansum resistant to, on apple, 881
pine root rot controlled by, 53
captan and mancozeb, activity related to insecticide, nutrient, and adjuvant, 356
chlorothalonil
celery stalk rot controlled by, 879
development of insensitive strains of *Sclerotinia minor* on, 591, (592)
tomato anthracnose resistance measured by use of, 71
efosite aluminum, effect on Phytophthora gummosis of citrus, 654
fenapanil, wheat stem rust controlled by, 235
imazalil, postharvest treatment for cantaloup, 815
iprodione, for apple postharvest diseases, resistance to, 1010
metalaxyl
citrus brown rot controlled by, postharvest, 672
effect on Phytophthora gummosis of citrus, 654
Phytophthora spp. growth and sporulation affected by, 651
Pseudoperonospora cubensis resistant isolates to, 798
strawberry red stele controlled by, 835
Ortho RE 20615, for strawberry red stele, 835
propamocarb hydrochloride, for strawberry red stele, 835
thiabendazole, effect on pine ectomycorrhizae, 53
triadimefon, wheat stem rust controlled by, 235
triforine, on blueberry, pollen germination and fruit set effects, 350, (352)
triphenyltin compounds, *Cercospora beticola* resistance to, 267
vinclozolin, for apple postharvest control, resistance to, 1010
Fusarium
graminearum, on cereal roots, *Bipolaris sorokiniana* antagonistic to, 965
moniliforme, on asparagus seed, eradication by benomyl, 892
oxysporum
on asparagus seed, eradication by benomyl, 892
on cotton, Paraguay cultivars resistant to, 344
on gram in India, 362
on pine seedlings, fumigants and fungicides for, 53
on soybean, losses from in Delaware, 596
on tomato, control strategies in greenhouses, 107
on watermelon, resistance to, 825
solani
Aphelenchus avenae as biocontrol agent, 423
on bean, resistance to, 485
on fir, root rot in Pennsylvania, 913, (913, 914)

Gabrielson, R. L., 865, 868
Gaeumannomyces graminis, on wheat, incidence and severity in Indiana, 734
Gardner, D. E., 690
Gardner, W. S., 447
Garren, K. H., 898
Georgopoulos, S. G., 729
Ghanekar, A. M., 663
Ghosh, S. K., 602
Giannopolitis, C. N., 267
Gibson, P. B., 50
Gigaspora margarita, on corn, relation to nematodes, 804
Gillett, J. M., 757
Givord, L., 755
Glaze, N. C., 402
Gloeosporium limetticolum, on citrus in Bolivia, 515
Glomerella cingulata, on apple, ascospore dissemination in, 135, (136)
Glomus spp., on corn, relation to nematodes, 804
fasciculatus, on creeping bentgrass, fungicide effect on, 145
Glycine spp. (see also Soybean)
Australian species resistant to rust, 44
Gnomonia leptostyla
on black walnut
fungicides for, 961
nitrogen suppression, 580
Goheen, D. J., 506
Golden, A. M., 622
Goode, M. J., 631
Gooding, J. V., Jr., 889
Goodman, R. M., 214
Gordon, D. T., 837
Goth, R. W., 671
Gradis, W. H., 356
Gram (see *Cicer arietinum*)
Grape
dead arm symptoms on, causal organism, 429, (430)
Pierce's disease of, in North Carolina, 73, (73)
Grape fanleaf virus, on muscadine grape, nematode relation, 791, (792)
Grau, C. R., 843
Greer, F. C., 81
Gremmeniella abietina, races of, status, 927
Griffin, G. J., 898
Grigoriu, A. C., 729
Grogan, R. G., 342, 821
Gross, D. C., 480
Grossman, F., 211
Growth regulators, TIBA, soybean charcoal rot susceptibility affected by, 483
Grybauskas, A. P., 62
Guayule, *Verticillium* resistance in, 658, (659, 660)
Guignardia citricarpa, on citrus, epidemiology in South Africa, 945, (947)
Guillemet, F. B., 475

Hadar, E., 675
Hadar, Y., 675
Hadi, S., 271
Hagan, A. K., 79
Hagedorn, D. J., 427
Hammond, R. B., 846
Hampton, R. O., 492
Hancock, J. G., 829
Harkov, R., 363
Harlan, J. C., 25
Hartwig, E. E., 303, 665
Hattingh, M. J., 615
Haware, M. P., 282
Hawksworth, F. G., 263, 437
Hawtin, G. C., 586
Haygood, R. A., 52, 727
Hayne, D. W., 330
Heaton, C. R., 886
Hebert, T. T., 406
Hecht-Poinar, E. I., 281
Helianthus annuus (see Sunflower)
Helminthosporium turcicum
on corn
chlorotic lesion resistance in, 502
epidemic and gene *Ht*N effect, 327
yield loss from, 325
Hendersonula toruloidea, on mango, in India, 441, (441)
Henis, Y., 675
Hepperly, P. R., 130, 214
Herbicides
Aphanomyces root rot of pea affected by, 11
trifluralin, Phytophthora root rot of soybean effect, 435
turfgrass diseases affected by, 17
Heringer, M. R., 365
Herr, L. J., 796
Herrera-Perez, T., 243
Heterodera
avenae, biological control of, with fungi, 390, (390–392)
crucifera and *schachtii*, on cabbage, threshold populations, 264, (265, 266)
glycines
population characteristics of, in Iowa, 807
on soybean
nematicides and resistance, 665
in Ohio, 846
zeae, on corn, new in USA, 622
Hickey, K. D., 998, 1002
Hijano, E. H., 725
Hill, H. C., 132
Hindal, D. F., 963
Hite, R. E., 618, 846
Hobbs, H. A., 491
Hobbs, T. W., 618
Hoffmann, J. A., 256
Hoitink, H. A. J., 796
Holtmeyer, M. G., 58
Hooker, A. L., 325, 327, 502
Hooper, G. R., 1014
Hopen, H. J., 11
Hopkins, D. L., 825
Hoplolaimus galeatus, on corn, relation to mycorrhizae, 804
Horn, N. L., 132
Horner, C. E., 322
Houfek, J. A., 345
Howell, W. E., 276
Huang, P.-Y., 73
Huber, D. M., 734
Hunter, J. E., 414, 612
Hurwitz, B., 334

Idris, M. O., 692

Inglis, D. A., 923
Inouye, T. S., 649
Insecticide, turfgrass diseases affected by, 17
Integrated pest management, potato late blight using BLITECAST, 394
Ipomoea incarnata, feathery mottle virus strains on, detection, 412
Isariopsis griseola, on bean, yield loss in Colombia, 494

Jacobsen, B. J., 11
James, R. L., 506, 667
Jedlinski, H., 975
Jeffers, S. N., 823
Johnson, A. W., 401
Johnson, D. W., 437
Johnson, L. E. B., 118
Jojoba (see *Simmondsia chinensis*)
Jones, A. L., 223, 955, 959, 990
Jones, R. A. C., 753
Jones, R. K., 52, 73, 353, 741
Jones, W. B., 518
Jons, V. L., 447
Joshi, M. C., 600
Joyner, B. G., 79
Juglans nigra
  anthracnose of, nitrogen suppresses, 580
  benomyl residues on, monitoring of, 961
  Nectria canker of, tissue age and canker frequency, 66
Juniperus sp., *Kabatina juniperi* on, etiology, 906, (910)

Kabatina juniperi, on juniper, etiology, 908, (910)
Kader, A. A., 347
Kahn, M. A., 359
Kamidi, R. E., 581
Kamp, M., 687
Kannaiyan, J., 61
Kappelman, A. J., Jr., 344
Kasimatis, A. N., 429
Katan, T., 798
Katherman, M. J., 494, 737
Kauffman, P. H., 846
Kennerley, C. M., 614
Kennedy, B. W., 458, 896
Kentucky bluegrass (see *Poa pratensis*)
Kerry, B., 390
Khati, D. V. S., 441
Kilpatrick, R. A., 504
Kimoto, W. S., 744
Kinloch, B. B., 604
Kishtan, A. A., 611
Kliejunas, J. T., 446
Klimstra, D. E., 330
Klisiewicz, J. M., 237
Kmetz, K., 939
Knutson, D. M., 445
Ko, W. H., 621
Koenig, R., 758
Koike, H., 1018
Kolbezen, M. J., 384
Kondo, E., 1022
Kroll, T. K., 483
Krupinsky, J. M., 677
Krusberg, L. R., 622
Kunimoto, R. K., 621

Lablab purpureus, rust of, in Puerto Rico, 817, (817)
Laemmlen, F. F., 745
Lambert, J. W., 896
Lamberti, F., 113
Land, S. B., Jr., 140
Lankow, R. K., 591
Larsen, H. J., 280
Larsen, P. O., 79, 145
Lastra, R., 439
Latorre, B. A., 761
Laut, J. G., 263
Laviolette, F. A., 884
Lawrence, F. J., 254
Lawson, R. H., 780
Leath, K. T., 1016
Leben, C., 633, 876
Lee, R. F., 515
Leea coccinea, collar rot and leaf spot of, 621
Leelavathy, K. M., 514
Lembright, H. W., 105
Lenné, J. M., 162, 870
Lens esculenta, bean yellow mosaic virus on, in Egypt, 611, (611)
Leone, I., 363
Letter to editor, Sequeira, L., abstracts, 450
Letters, 8, 459, 704, 855
Lettuce
  tipburn of
    calcium effect on disease, 821
    cultivars tolerant to, 342
Leucothoe, *Cylindrocladium* spp. on, susceptibility to, 353
Leveillula taurica
  on sweet pepper, genotype screening, 600
  on tomato
    epidemic in Utah, 518, (519)
    in Israel, 315
Lifshitz, R., 828
Lim, S. M., 588
Lindberg, G. D., 680
Linit, M., 1022
Liriodendron tulipfera, Cylindrocarpon root rot of, 154, (154–156)
Lister, R. M., 809
Littrell, R. H., 769
Loebenstein, G., 694
Lombard, P. B., 980
Long, D. L., 138
Ludwigia perennia, rice necrosis mosaic virus on, 602
Luke, H. H., 125
Lupinus sp., peanut mottle virus on, 359, (360)

Maas, J. L., 872
MacDonald, J. D., 154
MacHardy, W. E., 995
MacKenzie, D. R., 394, 575
Macrophomina phaseolina
  sclerotia of, distribution in South Carolina soils, 355
  on soybean, effect of triiodobenzoic acid on, 483, (484)
  on sunflower, 643, (647)
Macroposthonia ornata, on peanut, relation to Cylindrocladium black rot, 339
MacSwan, I. C., 1006
Mahmood, K., 271
Mai, W. F., 859
Main, C. E., 508, 889
Maize chlorotic mottle virus, effect on symptomatology and yield of corn, 39
Maize dwarf mosaic virus
  on corn, yield effect, 802
  effect on symptomatology and yield of corn, 39
  on sorghum, resistance to, 241
  on sweet corn
    inoculation timing effect on yields, 902
    yield response, 900
Mangifera indica (see Mango)
Mango, leaf spot disease of, new in India, 441, (441)
Mann, W. F., Jr., 748
Manning, W. J., 892
Marigold mottle virus, in India, symptoms, 271, (272, 273)
Marlatt, R. B., 520
Marshall, D. R., 44
Martin, C., 246
Martin, K. F., 161
Matyac, C. A., 821
Maxwell, D. P., 843
Mayhew, D. E., 75, 84
Mayol, P. S., 248
McCain, A. H., 159, 513
McCall, K., 913
McCann, J., 264
McCracken, F. I., 140
McGee, D. C., 638
McIntyre, J. L., 835
McLaughlin, M. R., 50
Meloidogyne
  arenaria, on peanut, chemical effect on, 497
  hapla
    on carrot, tolerance to, 337
    forage legume reaction to, 149
    host range in Taiwan, 500
    on peanut, relation to Cylindrocladium black rot, 339
  incognita
    on corn, relation to mycorrhizae, 804
    on cowpea, *Rhizobium leguminosarum* interaction, 432, (432, 433)
    on cucumber, chemical control, 401
  javanica
    on *Desmodium ovalifolium*, grass for control, 870
    on pepper and tobacco, race separations, 65
Menge, J. A., 651, 654
Merlinius brevidens, on wheat, pathogenicity, 248
Merrill, W., 66, 913
Meyer, F. W., 1010
Microclimatology, leaf wetness, sensors for detection, 41
Mikel, M. A., 900, 902
Milholland, R. D., 73, 421
Millar, R. L., 127, 706
Miller, C. A., 750
Miller, G., 243
Miller, J. C., Jr., 251
Miller, J. D., 359
Miller, R. V., 147
Mims, F., 353
Mink, G. I., 277
Mint, rust of, resistance to, 322
Minton, N. A., 497
Misaghi, I. J., 342, 821
Mohanty, S. K., 578
Moller, W. J., 429, 563
Monilinia spp., growth on media, nitrogen source, 649
  fructicola, on fruit, postharvest suppression, 347
  laxa
    on apricot, fungicides for, 911
    on stone fruits, in Iraq, 916
  vaccinii-corymbosi, on blueberry, triforine effect on, 350
Moore, L. D., 483
Moreno-Martínez, E., 260
Morris, T. J., 599
Morrison, R. H., 844
Moseman, J. G., 504
Mulrean, E. N., 159
Muniyappa, V., 679
Munnecke, D. E., 384
Murphy, C. F., 406
Muskmelon, gummy stem blight of, resistance of, 253
Musselman, L. J., 748, 752
Mycorrhizae
  root disease controlled by, 231
  vesicular-arbuscular-, on corn, nematode relation, 804
Mycosphaerella
  citri, on citrus in Bolivia, 515
  melonis
    on cucumber, chemical control, 401

on greenhouse cucumber, 157, (158)
on muskmelon, resistance to, 253
Mycotoxin, aflatoxin, in corn, nitrogen effect, 741
Myristica fragrans, Cylindrocladium root rot of, in India, 514
Myzus persicae, tomato virus vector, in Florida, 787

Naqvi, Q. A., 271
Nardacci, J. F., 330
Nectria
coccinea, on beech, bole canker from, 332
galligena
on beech, bole canker from, 332
on northern hardwoods, tissue age and canker frequency, 66
Neely, D., 580, 893, 961
Nema, H. A., 979
Nematicides
Meloidogyne on peanut affected by, 497
soybean cyst nematode controlled by, 665
turfgrass diseases affected by, 17
Nematode
cyst, fungal parasites for, 390, (390–392)
vectors of plant viruses, 113
Nematophthora gynophila, against cyst nematodes, 390, (390–392)
Nene, Y. L., 61, 282, 586, 932
Nephotettix virescens, rice tungro virus vector, plant spacing effect, 584
Nicholson, R. L., 143
Nielsen, L. W., 489
Nightingale, A. E., 687
Nitrogen, *Monilinia* growth affected by, in medium, 649
Nixon, K. C., 752
Nodulation
plant disease perspective, 118
in white clover, effect of three viruses on, 50
Norgren, R. L., 843
Norton, D. C., 807
Nuque, F. L., 793
Nydegger, U., 246
Nyland, G., 365, 886

Oak, dieback of, in California, 281
Oats, crown rust of, environmental effects, 125
O'Connell, T. E., 843
Ogawa, J. M., 649, 886, 916
Ogbuji, R. O., 65
O'Hair, S. K., 251
Ohr, H. D., 384, 654, 800
Oidium begonia, on begonia, identification and host range, 68, (68)
Olsen, M. W., 157
Onion, stalk and leaf necrosis of, new in South Africa, 615, (616, 617)
Ornamentals, woody-, propagation diseases of, screening for, 893
Orellana, R. G., 594
Orobanche ramosa, on tomato, other hosts, in Texas, 752
Orum, T. V., 243
Ostrofsky, A., 908
Ostrofsky, W. D., 667
Otoya, M. M., 494
Oxalis regnellii, chlorotic ringspot and decline of, 275, (276)

Pandey, R. S., 441
Panicum miliaceum, blast of, in India, 442
Papaya
apical necrosis of, new rhabdovirus disease, 439, (439, 440)
Phytophthora fruit rot of, hot water treatment, 744
Parish, C. L., 261
Parmeter, J. R., Jr., 281
Parthenium argentatum (see Guayule)
Pataky, J. K., 588
Pawar, M. N., 239
Paxton, J. D., 435
Pea
Aphanomyces root rot of, herbicide influence, 11
bacterial blight of, in New York, 612
Rhizoctonia solani on, resistance to, 417
Peach
leaf curl of, resistance to, 731
tree short life of, complex factors affecting, 462, (463, 464)
X-disease of, epidemiology, 365
Peach rosette mosaic virus, on highbush blueberry, 757, (757)
Peach yellow leaf roll, epidemiology of, 365
Peaden, R. N., 319
Peanut
Meloidogyne hapla and *Macroposthonia ornata* on, relation to black rot, 339
Meloidogyne and *Sclerotium* on, chemical effect on, 497
Peanut mottle virus
on forage legumes, symptom and first report, 359, (359–361)
in Sudan, 692, (692)
Peanut stunt virus, on white clover, growth effects, 50
Pear
common names of diseases on, 156
decay from low temperature basidiomycete, 151, (152)
fire blight of, streptomycin resistance in, 563
replant disease of, control by fumigation, 859, (861)
scab of, sprinkler irrigation influence, 980
Pecan, fruit and foliar diseases of, management with fungicides, 769, (770)
Pelargonium hortorum, *Pseudomonas solanacearum* on, first report on host, 52, (52)
Pellicularia filamentosa, on citrus in Bolivia, 515
Penicillium expansum
on apple, benomyl resistance of, fungicides for, 881
on fruit, postharvest suppression, 347
Pennisetum americanum, downy mildew of, resistant screening technique, 239
Pepper (see *Piper* spp. or *Capsicum frutescens*)
Pepper mottle virus, on pepper, interaction with *Rhizoctonia*, 404
Percich, J. A., 695
Perkins, J. M., 327, 502
Peronosclerospora sacchari, Taiwanese isolate of, host range, 739
Peronospora tabacina, on tobacco, analysis of epidemic and weather, 508
Persea americana (see Avocado)
Pesticide
application equipment and techniques for, 32
facility for handling and storage disposal, 959
nontarget effect on turfgrass, 17
Peters, B. B., 151
Peterson, G. L., 739
Peterson, G. W., 908
Pfahler, P. L., 125
Phakopsora
pachyrhizi
on *Lablab purpureus*, in Puerto Rico, 817, (817)
on soybean, 214, (222)
resistance in Australian native species to, 44
tecta, on *Commelina diffusa*, in Hawaii, 690, (690, 691)
Phaseolus spp., white mold resistance in, inoculation method, 414
vulgaris
anthracnose of, disease spread, 477
cucumber mosaic virus on, seedborne in breeding lines, 492
ozone injury, temperature and stomatal conductance effect, 750
powdery mildew of, resistance in Colombia, 737
Pythium hypocotyl rot of, inheritance of resistance to, 427
root rot resistance in, Latin American germ plasm, 485
yield losses from *Ascochyta*, angular, and white leaf spots in Colombia, 494
Phatak, S. C., 401
Phialophora gregata, on soybean, cropping history effect, 896
Philodendron selloum, *Erwinia chrysanthemi* on, moisture and inoculum concentration effect, 727
Phlox subulata, *Ditylenchus dipsaci* on, control, 745
Phoma
lingam
on cabbage
seed infection, 868, (868, 869)
virulence, 865, (866, 867)
medicaginis
on alfalfa, effect on yield, 725
on chickpea, new disease, 282
Phomopsis spp.
on soybean, 214, (219)
epidemiology in Illinois, 62
on seeds and pods, 618
sojae, on soybean, development and control, 132, (133, 134)
viticola, on grape, doubtful dead arm cause, 429
Phymatotrichum omnivorum, on jojoba, susceptibility to, 243
Phytopathology News, 87, 165, 282, 369, 449, 523, 623, 697
Phytophthora spp.
on apple in North Carolina, tree death from, 330
on apple, twig assay for, 823
on *Aucuba japonica*, bark for suppression of, 918, (919)
on citrus
in Bolivia, 515
metalaxyl and efosite aluminum for, 654
growth affected by metalaxyl, 651
on papaya, hot water treatment for fruit rot, 744
on woody ornamentals, screening for resistance, 893
cinnamomi
on balsam fir and Norway spruce, in North Carolina, 614, (614)
on *Banksia*, host range and control, 830
strains of, evidence for, 475
citricola, on fir, root rot from, 688
fragariae, on strawberry, control, 835
infestans
on potato, fungicides for using BLITECAST, 394
on potato and tomato, in Israel, 315
lateralis, on Port-Orford-cedar, in California, 446
megasperma
on alfalfa, in New York, 127
on soybean, 884
trifluralin enchancement of, 435
parasitica, on *Aphelandra squarrosa*, stem rot from, 921, (922)
Picea sitchensis, *Fomes* and *Armillaria* on stumps of, in Alaska, 967
Pieczarka, D. J., 404, 879
Pierce's disease, on grape, first report in North Carolina, 73, (73)

Pilowsky, M., 684
Pine
loblolly-, black root rot of, soil fumigation for, 53
lodgepole-, dwarf mistletoe of, yield loss from, 437
slash-, growth reduced by *Seymeria cassioides*, 748
Pineda D., P. A., 494
Pinus spp., nematode on, threat to U.S. forests, 1022, (1022, 1023, 1026)
albicaulis, *Arceuthobium cyanocarpum* on, in Oregon, 445
sylvestris, dwarf mistletoe on, susceptibility to, 263
Plant disease, in China, 706
Plasmopara halstedii
on sunflower, 643
new race in South Dakota, 842
Platanus occidentali, *Botryodiplodia theobromae* on, resistance to, 140
Poa pratensis, cultivars and blends resistant to rust, 345
Podosphaera leucotricha, on apple, fungicides for, mode of action, 981
Pollution, air-
oxidant, milkweed response, 661, (662)
ozone
on pinto bean leaves, temperature and stomatal conductance, 750
woody plant susceptibility to, 904
ozone and sulfur dioxide, on Austrian pine, in New Jersey, 363
Porter, D. M., 591
Pospieszny, H., 492
Postharvest diseases, citrus brown rot, metalaxyl for, 672
Postharvest pathology
on *Capsicum annuum*, in Nigeria, 915, (915, 916)
oxygen effect on carbon monoxide suppression, 347
Potato
bacterial wilt of, in Amazon basin, 246
common names for diseases of, 524
Cylindrocladium tuber rot of, other hosts, 47
early blight of, nitrogen rate and yield, 575
fungal diseases of, in Negev desert, 315, (315–317)
late blight of, fungicides for using BLITECAST, 394
leaf roll of, relation to beet western yellows virus, 819
Potato yellow dwarf virus, occurrence in California, 81, (81, 82)
Powell, C. C., Jr., 68
Powell, N. T., 848
Prasad, Y., 442
Pratylenchus spp., on corn, relation to mycorrhizae, 804
Product and Equipment News, 96, 548
Prunus ringspsort virus, in peach, loss evaluation, 886
Pseudocercosporella albida, on bean, yield loss in Colombia, 494
Pseudomonas sp.
antibiotic from, fungi killed by, 680
survival of, 633, (633–635)
lachrymans, on cucumber seedlings, survival, 876
pseudoalcaligenes, on watermelon, resistance to, 671
solanacearum
on geranium, first report, 52, (52)
on potato, in Amazon basin, 246
syringae
on apple, susceptibility to, 334, (335)
on coffee, seasonal periodicity in Kenya, 581
on peach, 462, (463)
on peas, occurrence in New York, 612
on sunflower, wilt etiology, 1019, (1020)
viridiflava, on poinsettia, etiology, 513
Pseudoperonospora cubensis
on cucumber
chemical control, 401
metalaxyl-resistant strains in Greece, 729, (729)
metalaxyl resistance in isolates of, 798, (799)
Puccinia
coronata, on oats, environmental effects, 125
graminis, on Kentucky bluegrass, cultivars and blends response to, 345
graminis tritici
fungicides for, 235
race distribution in USA in 1979, 138
helianthi, on sunflower, 643, (645)
hordei, on barley, resistance evaluation technique, 504
menthae, on mint, resistance to, 322
nakanishikii, on citronella and lemongrass in Sri Lanka, 164
Pucciniastrum americanum, on raspberry, first in Ohio, 924
Purcell, A. H., 365
Purkayastha, R. P., 362
Pyricularia grisea, on millet, in India, 442, (442, 443)
Pythium spp.
on apple, twig assay for, 823
on bean, resistance to, 485
on woody ornamentals, screening for resistance, 893
myriotylum, on bean, inheritance of resistance to, 427
ultimum, in soil, estimating disease potential, 828

Quinn, J. A., 68
Quintero, E., 439

Radish mosaic virus, from turnip, in Morocco, 758
Ragsdale, N. N., 301
Rahman, M. U., 514
Raju, B. C., 365, 679
Raju, T. N., 61
Ramos, A. H., 581
Ramsdell, D. C., 757
Ransom, J. K., 695
Rawal, R. D., 600
Raymundo, A. D., 325, 327
Reader survey, Plant Disease, 381
Reddy, D. V. R., 663
Reddy, M. S., 663
Reddy, M. V., 586
Reddy, O. R., 607
Reddy, P. R., 578
Reeleder, R. D., 427
Resistance
bean
to *Pythium myriotylum*, 427
to root rot, Latin American germ plasm, 485
chickpea to *Ascochyta rabiei*, 586
cotton to Fusarium wilt, 344
mint to rust, 322
muskmelon to gummy stem blight, sources, 353
pearl millet to downy mildew, screening technique, 239
pepper to virus diseases, 557
pigeon pea to Phytophthora blight, 61
rice to yellow dwarf disease, 679
sycamore to Botryodiplodia canker, 140
watermelon
to bacterial disease, 671
to Fusarium wilt, 825
wheat to *Septoria nodorum*, evaluation, 406
Retzer, H. J., 872
Rhizobium spp., infection mechanisms, 118, (118, 120–123)
leguminosarum, on cowpea, *Meloidogyne incognita* interaction, 432, (432, 433)
Rhizoctonia, on woody ornamentals, screening for resistance, 893
solani
Aphelenchus avenae as biocontrol agent, 423
on bean, resistance to, 485
on celery, planting and fungicide effect, 879
on *Celosia argentea*, bark medium effect, 796
on cucumber fruit, chemical control, 401
on pea, resistance to, 417
on pepper, interaction with two viruses, 404
Trichoderma for biocontrol, in carnation, 675
Rhizopus stolonifer, on *Euphorbia trigona*, symptoms and control, 159
Rhoads, A., 363
Rhodes, A. M., 900, 902
Rhodes, L. H., 145
Rhododendron sp., *Cylindrocladium* spp. on, susceptibility to, 353
Rhopalosiphum rufiabdominalis, barley yellow dwarf virus vector, overwintering of, 975
Rhynchosporium secalis, on barley, technique for resistance, 504
Ribeiro, W. R. C., 47
Rice
bacterial blight of, epidemiology of kresek phase, 678
Cercospora oryzae on, races in Philippines, 793
diseases of, economic importance and breeding for resistance, at IRRI, 569
leaf-streak and blight pathogens of, differentiation by immunoelectrophoresis, 607
yellow dwarf disease of, cultivar response, 679
Rice necrosis mosaic virus, weed hosts of, 602, (603)
Rice tungro virus
plant spacing to reduce incidence, 584
planting date adjustment for control, 409
Rich, J. R., 804
Richeson, M. L., 1019
Rickettsialike organisms, Pierce's disease on grape in North Carolina, 73, (73)
Riedel, R. M., 846
Riffle, J. W., 667, 669
Riherd, C. C., 425
Riordan, T. P., 345
Ritchie, D. F., 462, 731
Robbins, K., 1022
Roberts, D. D., 322
Roberts, D. L., 1014
Rodríguez-Kábana, R., 419
Roelfs, A. P., 138
Rosenberger, D. A., 1010
Rosenkranz, E. E., 802
Rotem, J., 315
Rowan, S. J., 53
Rowe, R. C., 107
Rowell, J. B., 235
Ruelo, J. S., 500
Rufty, R. C., 406
Russell, C. C., 423
Russo, M., 611

Sackston, W. E., 643
Safflower, *Verticillium dahliae* on, resistance

to, 237
Sanchez, L. M., 793
Sands, D. C., 147
Sankaran, K. V., 514
Sardanelli, S., 622
Sassafrass albidum, Nectria canker of, tissue age and canker frequency, 66
Scardaci, S. C., 965
Schenck, N. C., 231, 804
Schlegel, D., 706
Schlub, R., 1018
Schmitthenner, A. F., 618, 796
Schnabelrauch, L. S., 745
Schoeneweiss, D. F., 308
Schroth, M. N., 563
Schwartz, H. F., 485, 494, 737
Scientific News, 95, 202, 292, 376, 453, 547, 627, 775, 852, 926, 944
Scirtothrips dorsalis, on peanut, vector for tomato spotted wilt virus, 663
Sclerophthora macrospora, on St. Augustinegrass, occurrence in Mississippi, 925
Sclerospora graminicola, on pearl millet, resistance screening technique, 239
Sclerotinia
minor, growth on fungicide-amended media, 591, (592)
sclerotiorum
on bean, inoculation method, 414
on sunflower, 643, (646)
Sclerotium rolfsii
on bean, resistance to, 485
on peanut, chemical effect on, 497
on sugar beet, incidence prediction, 419
Scolytus ventralis, on conifers, in Colorado, 506
Scorza, R., 515
Scott, G. E., 802
Sederstrom, S. G., 269
Seed, pathology of, place in seed production, 638
Seif, A. A., 606
Septoria spp., on wheat, integrated control, 763
citri, on citrus in Bolivia, 515
glycines, on soybean, effect on yield components, 588
nodorum, on wheat, resistance to, 406
Seymeria cassioides, slash pine growth reduced by, 748
Shabi, E., 992
Shalla, T. A., 56
Shane, W. W., 135, 269
Shaw, C. G., III, 967, 972
Shearman, R. C., 345
Shehata, M. A., 417
Sheila, V. K., 61
Shew, H. D., 688
Shigo, A., 715
Sholberg, P. L., 649
Shortt, B. J., 62
Shukla, D. N., 441
Shukla, V. D., 409, 584
Shurtleff, M. C., 380
Siegel, M. R., 986
Silbernagel, M., 492
Simmondsia chinensis, *Verticillium dahliae* and *Phymatotrichum omnivorum* on, 243
Sinclair, J. B., 62, 130, 214
Singh, K. B., 586
Singh, R. S., 442
Singh, S. D., 239
Sink, K. C., 745
Skelly, J. M., 661
Skipper, H. D., 50
Sleesman, J. P., 876
Smiley, R. W., 17
Smith, B. D., 25
Smith, M., 1022
Smith, M. A. L., 893
Smittle, D., 401
Sodium dimethyl dithiocarbamate, on cantaloup, postharvest treatment, 815
Sohi, H. S., 600
Solanum nigrum, tomato yellow leaf curl virus host, 979, (979)
Sommer, N. F., 347
Sorghum, maize dwarf mosaic virus of, resistance to, 241
Sorghum stunt mosaic, symptoms and transmission in new disease, 84, (84, 85)
Southern bean mosaic virus
on bean seeds, transmission from soil, 599
on cowpea in Ivory Coast, 755, (756)
cowpea strain of, resistance to, 251
Southern pea (see *Vigna* spp.)
Sowell, G., Jr., 253, 609
Soybean
brown stem rot of, cropping history effect, 896
bud blight resistance in, in 630 cultivars, 594
cyst nematode of
in Ohio, 846
resistance to, 303, (303, 304, 306)
cyst nematode race 4 on, nematicides and resistance, 665
Fusarium wilt of, losses in Delaware, 596
international soybean program, 214
Macrophomina phaseolina on, TIBA effect on susceptibility, 483
Phomopsis seed decay of, epidemiology, 62
Phomopsis sojae on stems of, development and control, 132, (133, 134)
Phyllosticta sojaecola on pods of, in Arkansas, 161, (161)
Phytophthora root rot of, trifluralin enhancement of, 435
rust of, Australian native species resistant to, 44
seedborne pathogens of, 214
seed mycoflora relations on seed of, 130
Septoria brown spot of, yield losses from 588
top dieback of, *Diaporthe* cause, 618, (618)
Soybean mosaic virus, seed transmission of, 214
Spaceloma zorniae, on *Zornia latifolia*, first report in Colombia and Brazil, 162, (163)
Spencer, S., 918
Spilker, D. A., 79
Spiroplasma, on corn, relation to epidemic in Florida, 837, (838–840)
Spotts, R. A., 151, 1006
Spruce
Engelmann-, root disease and insects on, in Colorado, 506
Norway-, Phytophthora root rot of, in North Carolina, 614
Squash, leaf curl of, new disease in California, 75
Stanghellini, M. E., 157
St. Augustinegrass, downy mildew of, in Mississippi, 925
Steffens, W. L., 132
Stemphylium spp., on potato and tomato, in Israel, 315
Stephens, C. T., 796
Stoner, A. K., 71
Strawberry
anthracnose of, cultivar susceptibility, 421
leaf scorch of, resistance to, 254, (255)
Strider, D. L., 52, 727
Striga asiatica, parasite status in USA, 951, (951, 953)
Strobel, G. A., 147
Stromberg, E. L., 447
Sugar beet, Sclerotium rot of, incidence prediction, 419
Sugar, D., 980
Sugarcane, smut of, in Louisiana, 1018
Sullivan, W. T., Jr., 330
Sumner, D. R., 401
Sunflower
Alternaria helianthi on, new in Minnesota, 269, (270)
diseases of, progress, 643
downy mildew of, new race in South Dakota, 842
late season wilt of, etiology, 1019, (1020)
Verticillium dahliae on, resistance to, 237
Suslow, T. V., 513
Sutton, T. B., 135, 330, 356
Swai, I. S., 963
Sweet potato
feathery mottle virus on, detection, 412
internal cork virus of, symptomless carriers of, 489
Szkolnik, M., 981

Tammen, J. F., 7
Taphrina deformans, on peach and nectarine, resistance to, 731
Tarjan, A. C., 779
Taylor, J. D., 898
Teaching
plant pathology in India, 932
satellite laboratory option as method, 848
Teakle, D. S., 599
Tenne, F. D., 62
Thelephora terrestris, on loblolly pine, fungicide effect on, 53
Thomas, P. L., 834
Thomson, S. V., 518, 563
Thung, M. D. T., 737
Tilletia caries, on wheat, seed treatment for, 256
Timmer, L. W., 515
Timmian, R. G., 447
Tinnin, R. O., 445
Tippett, J. T., 715
Tobacco
blue mold epidemic in, weather analysis, 508
Meloidogyne javanica on, races, 65
Tobacco mosaic virus
on pepper
interaction with *Rhizoctonia*, 404
seedborne, 723
on tomato, systemic necrosis from, 684
Tobacco ringspot virus, on soybean, bud blight caused by, 594
Tobacco vein mottling virus, on tobacco, loss estimation, 889
Tolba, M. A., 611
Toler, R. W., 25, 251, 687, 925
Tomato
anthracnose resistance in, fungicides for resistance measurement, 71
broomrape of, in Texas, 752, (752)
fungal diseases of, in Negev desert, 315, (315–317)
Fusarium crown and root rot of, control strategies, 107
Leveillula taurica on, epidemic in Utah, 518, (519)
tobacco mosaic virus on, systemic necrosis, 684
viruses of, in Florida, 787, (789)
Tomato mosaic virus
cross-protection for control, 56
on tomato, shoestring symptom, 761, (762)
Tomato ringspot virus, apple union necrosis and decline related to, 261, (262)
Tomato spotted wilt virus, on peanut, transmission, 663
Tomato yellow leaf curl virus, on black nightshade, 979, (979)
Toxoptera citricida, on citrus, tristeza vector, 515
Trabulsi, I. Y., 432
Traquair, J. A., 151

Trichoderma sp., *Armillaria mellea* controlled by, 384
christiei, on corn, relation to mycorrhizae, 804
harzianum, *Rhizoctonia* on carnation controlled by, 675
Trifolium sp., peanut mottle virus on, 359, (361)
pratense (see Clover, red-)
repens (see Clover, white)
Tsai, J. H., 837
Tsao, P. H., 651, 654
Tsuga
heterophylla, *Fomes* and *Armillaria* stump infections of, in Alaska, 967
mertensiana, *Arceuthobium cyanocarpum* on, in Oregon, 445
Tu, J. C., 447
Tubercularia ulmea, on elm, in windbreaks, 677
Turfgrass, diseases of, pesticide effect, 17
Tweedy, B. G., 706

Uchida, J. Y., 621, 644
Ullasa, B. A., 600
Uma, N. U., 915
Umbach, D. M., 904
Urban plant pathology, future of, 470
Ustilago
nigra, on barley, comparison with *U. nuda*, 834
scitaminea, on sugarcane, in Louisiana, 1018
Utermohlen, J. G., 800
Uyemoto, J. K., 39

Vakili, N. G., 817
Vance, C. P., 118
Van Vuuren, S. P., 46
Vargas, J. M., Jr., 1014
Venturia
inaequalis
on apple
fungicides for, mode of action, 981
pesticides for, factors, 872
benomyl and dodine for, 990
pirina, on pear, sprinkler irrigation influence, 980
Verticicladiella procera, on soil, recovery medium, 963
Verticicladiella sp., on conifers in Colorado, 506
Verticillium
albo-atrum
on alfalfa
first report in North Central states, 843
Pacific Northwest distribution, 319, (320)
chlamydosporium, cyst nematode parasite, 390, (392)
dahliae
on guayule, resistance to, 658, (659, 660)
on jojoba, susceptibility to, 243
on sunflower, 643, (646)
on sunflower and safflower, resistance to, 237
psalliotae, on red pepper, in Nigeria, 915
Vidal-Gaona, G., 260
Vidaver, A. K., 480
Vigna spp.
nematode and *Rhizobium* interaction, 432, (432, 433)
southern bean mosaic virus of, cowpea strain, 251
Villalón, B., 557
Viruses (general)
flower and bulb crop, international, 780
nematode vectors of, 113
whitefly-transmitted, 215, (215)
wild carrot and poison hemlock hosts for, 277, (278)
Vitis vinifera (see Grape)

Waldher, J. T., 256
Walla, J. A., 669
Wallin, J. R., 58
Walters, D. F., 615
Walters, H. J., 161
Walton, G. S., 835
Warren, H. L., 143
Watermelon
bacterial diseases of, resistance to, 671
Fusarium wilt of, resistance to, 825
Watkins, J. E., 345
Weathers, L. G., 81, 706
Webb, R. E., 671
Weber, Z., 492
Webster, R. K., 965
Weiss, A., 41
Wells, H. D., 359
Welty, R. E., 844
Werner, D. J., 731
Westerlund, F. V., 342
Wheat
Calonectria nivalis on, in Washington, 923
common bunt of, seed treatment for, 256
common names for diseases of, 450
Merlinius brevidens on, pathogenicity, 248
Puccinia graminis tritici on, race distribution in USA in 1979, 138
Septoria diseases of, integrated control, 763
Septoria nodorum on, resistance evaluation, 406
stem rust of, fungicides for, 235
take-all of, incidence in Indiana, 734
Wheat streak mosaic virus, on wild rice, 695, (696)
Wheat striate mosaic virus, in Dakotas and Minnesota, 447, (448)
Wicks, T., 911
Wilbur, W. D., 384
Wilkinson, H. T., 127
Williams, P. H., 865
Williams, R. J., 239
Willis, C. B., 149
Wilson, D. L., 39
Wilson, K. I., 979
Woody plants, environmental stress role in diseases of, 308
Worf, G. L., 470
Wysong, D. S., 480

Xanthomonas, survival of, 633
campestris, on rice, epidemiology of kresek phase, 578
Xiphinema index, on grape, grape fanleaf virus relation, 791

Yarger, L. W., 337
Yoder, K. S., 998, 1002
Young, L. D., 665

Zachariah, S., 514
Zehr, C. L., 959
Zelig, Y., 992
Zentmyer, G. A., 475
Ziliani, N., 419
Zitter, T. A., 404
Zizania aquatica, wheat streak mosaic virus on, 695, (696)
Zornia latifolia, Spaceloma scab on, first report in Colombia and Brazil, 162, (163)
Zuber, M. S., 719
Zuck, M. G., 995
Zummo, N., 241